


RA805 / 905

Water suction set 800.910
Instructions




Contents of water suction set



- 1 1x Suction hose Ø 32mm x 2m
- 2 1x Stainless steel telescopic suction tube
- 3 1x Water suction nozzle 30cm
- 4 1x Hose holder
- 5 1x Handle holder
- 6 2x Cylinder screw M4 x 8 A2

Mounting hose holder



First, fit the handle holder (5) to the hose holder (4) using the two M4 screws.




Then remove the existing dirty water hose holder (left image) and replace it with the new hose holder. Use the existing screw for this. (Image on the right)

Now you can attach the water suction set as shown on the front page, or as you prefer.

Working with the water suction set



Remove the suction hose from the top of the machine's suction nozzle (1) and fit the suction hose from the water suction set (2).



A long press of the suction function button (> 3 seconds) switches the suction function on even when the machine is stationary; the driver's seat does not have to be occupied. When the work is done, switch the suction function off again by briefly pressing the button.

On request, the suction duration of this function can be limited to your desired time by our service. (1 to 9 min.)



Contact us

Cleanfix Reinigungssysteme AG

Stettenstrasse 15

CH-9247 Henau

+41 71 955 47 47

info@cleanfix.com

www.cleanfix.com

 **SWISS MADE QUALITY**